ELSEVIER

International Journal of Pediatric Otorhinolaryngology
34 (1996) 307–308

INTERNATIONAL JOURNAL OF
Pediatric
Oto
Rhino
Laryngology

Author index

Volume 34 (1996)

Al-Muhaimeed, H.S., Hearing impairment among 'at risk' children **34**, 75
Anselmi, M., see Girolamo, S.D. **34**, 171
Austin, C.E., see Scadding, G.K. **34**, 225

Bátorová, A., see Jakubíková, J. **34**, 165
Berger, G., see Finkelstein, Y. **34**, 61
Blinder, G., see Deutsch, E. **34**, 181
Bowdler, D.A., see Grieve, J.P. **34**, 253

Castillo, J.V., see Wiatrak, B.J. **34**, 191
Chappuis, J.-P., see Froehlich, P. **34**, 245
Christensen, B., see Parving, A. **34**, 9
Cohen, A.F., see Damiano, A. **34**, 141

Damiano, A., A.B. Glickman, J.S. Rubin, A.F. Cohen, Ectopic thyroid tissue presenting as a midline neck mass **34**, 141
Darby, Y.C., see Scadding, G.K. **34**, 225
de Gaudemar, I., M. Roudaire, M. François, P. Narcy, Outcome of laryngeal paralysis in neonates: a long term retrospective study of 113 cases **34**, 101
De Lauretis, A., see Girolamo, S.D. **34**, 171
de Mello Filho, F.V., see Peres, L.C. **34**, 175
Deutsch, E., A. Eilon, I. Hevron, H. Hurvitz, G. Blinder, Functional endoscopic sinus surgery of orbital subperiosteal abscess in children **34**, 181
Dubey, S.P., S.K. Sengupta, D.D. Vele, Nasopharyngeal osteosarcoma as second malignant neoplasm in a post-treated unilateral retinoblastoma: Report of a case and review of literature **34**, 265

Eilon, A., see Deutsch, E. **34**, 181
Emons, D., see Haverkamp, F. **34**, 159

Finkelstein, Y., G. Berger, A. Nachmani, D. Ophir, The functional role of the adenoids in speech **34**, 61
François, M., see de Gaudemar, I. **34**, 101
Froehlich, P., Letter to the editor **34**, 279
Froehlich, P., D.B. Kearns, A.B. Seid, S.M. Pransky, J.-P. Chappuis, A. Morgon, One-stage tracheal reconstruction of congenital tracheal stenosis **34**, 245
Fukazawa, M., see Nishizaki, K. **34**, 259

García-Velasco, M., see Pamplona, M. **34**, 53
Gilbert, H.R., M.P. Robb, Vocal fundamental frequency characteristics of infant hunger cries: birth to 12 months **34**, 237
Girolamo, S.D., M. Anselmi, A. Piccini, A. De Lauretis, D. Passàli, Aspecific membranous laryngitis after infectious mononucleosis **34**, 171
Glickman, A.B., see Damiano, A. **34**, 141
Goldstein, N.A., J.T. Roland Jr., N. Sculerati, Complications of tympanostomy tubes in an inner city clinic population **34**, 87
Grieve, J.P., P. Pracy, R. Walsh, D.A. Bowdler, Palatal trauma: an unusual cause of a parotid sinus **34**, 253
Guerrero, M., see Pamplona, M. **34**, 53

Haverkamp, F., D. Emons, H.J. Straehler-Pohl, K. Zerres, **34**, 159
Hazarika, P., see Sahota, J.S. **34**, 153
Heatley, D.G., E. Swift, Paradoxical vocal cord dysfunction in an infant with stridor and gastroesophageal reflux **34**, 149
Hevron, I., see Deutsch, E. **34**, 181
Hovi, T., see Pitkäranta, A. **34**, 25
Huang, J.-L., see Tsui, S.-C. **34**, 273
Huang, J.-L., see Tsui, S.-C. **34**, 283
Hurvitz, H., see Deutsch, E. **34**, 181

Itoh, Y., see Kawashiro, N. **34**, 35

Jakubíková, J., D. Žitňan, A. Bátorová, **34**, 165

Jiang, Z.D., T.S. Tierney, Long-term effect of perinatal and postnatal asphyxia on developing human auditory brainstem responses: brainstem impairment **34**, 111

Karikoski, J.O., see Marttila, T.I. **34**, 45
Karma, P., see Pitkäranta, A. **34**, 25
Kawano, T., see Kawashiro, N. **34**, 35
Kawashiro, N., N. Tsuchihashi, K. Koga, T. Kawano, Y. Itoh, Delayed post-neonatal intensive care unit hearing disturbance **34**, 35
Kearns, D.B., see Froehlich, P. **34**, 245
Koga, K., see Kawashiro, N. **34**, 35

MacArthur, C.J., S. Pereira, Otolaryngologic manifestations of Multiple Pterygium Syndrome **34**, 135
Mamede, R.C.M., see Peres, L.C. **34**, 175
Marttila, T.I., J.O. Karikoski, Identification of childhood hearing impairment in Uusimaa County, Finland **34**, 45
Masuda, Y., see Nishizaki, K. **34**, 259
Matsune, S., H. Takahashi, I. Sando, Mucosa-associated lymphoid tissue in middle ear and Eustachian tube in children **34**, 229
Mayer, I., see Pamplona, M. **34**, 53
Morgon, A., see Froehlich, P. **34**, 245
Muhaimeed, H.A.,Prevalence of sensorineural hearing loss due to toxoplasmosis in Saudi children a hospital based study **34**, 1

Nachmani, A., see Finkelstein, Y. **34**, 61
Narcy, P., see de Gaudemar, I. **34**, 101
Nayak, D.R., see Sahota, J.S. **34**, 153
Nishizaki, K., S. Yamamoto, M. Fukazawa, K. Yuen, Y. Masuda, Bilateral congenital cholesteatoma **34**, 259

Ophir, D., see Finkelstein, Y. **34**, 61

Pamplona, M., A. Ysunza, M. Guerrero, I. Mayer, M. García-Velasco, Surgical correction of velopharyngeal insufficiency with and without compensatory articulation **34**, 53
Parving, A., B. Christensen, Epidemiology of permanent hearing impairment in children in relation to costs of a hearing health surveillance program **34**, 9
Passàli, D., see Girolamo, S.D. **34**, 171
Pereira, S., see MacArthur, C.J. **34**, 135
Peres, L.C., R.C.M. Mamede, F.V. de Mello Filho, Rupture of the aorta due to a malpositioned tracheal cannula in a 4-month-old baby **34**, 175
Philip, G., see Walsh, R.M. **34**, 129
Piccini, A., see Girolamo, S.D. **34**, 171
Pitkäranta, A., T. Hovi, P. Karma, Interferon production by leukocytes in children with otitis media with effusion **34**, 25
Pracy, P., see Grieve, J.P. **34**, 253
Pransky, S.M., see Froehlich, P. **34**, 245
Pransky, S.M., see Wiatrak, B.J. **34**, 191

Reilly, J.S., see Wiatrak, B.J. **34**, 191
Robb, M.P., see Gilbert, H.R. **34**, 237
Roland Jr., J.T., see Goldstein, N.A. **34**, 87
Roudaire, M., see de Gaudemar, I. **34**, 101
Rubin, J.S., see Damiano, A. **34**, 141

Sahota, J.S., A. Viswanathan, D.R. Nayak, P. Hazarika, **34**, 153
Salama, N.Y., see Walsh, R.M. **34**, 129
Sando, I., see Matsune, S. **34**, 229
Scadding, G.K., Y.C. Darby, C.E. Austin, Measurement of peak flow in children: a comparison between the low-range mini Wright and the low-range Ferraris pocket peak flow meter **34**, 225
Sculerati, N., see Goldstein, N.A. **34**, 87
Seid, A.B., see Froehlich, P. **34**, 245
Seid, A.B., see Wiatrak, B.J. **34**, 191
Sengupta, S.K., see Dubey, S.P. **34**, 265
Shurin, P.A.,Evaluation of antimicrobial drugs for acute otitis media **34**, 219
Straehler-Pohl, H.J., see Haverkamp, F. **34**, 159
Swift, E., see Heatley, D.G. **34**, 149

Takahashi, H., see Matsune, S. **34**, 229
Tierney, T.S., see Jiang, Z.D. **34**, 111
Tsuchihashi, N., see Kawashiro, N. **34**, 35
Tsui, S.-C., J.-L. Huang, Parotid lymphangioma. A case report **34**, 273
Tsui, S.-C., J.-L. Huang, Selected abstracts and references generated from EMBASE **34**, 283

Vele, D.D., see Dubey, S.P. **34**, 265
Viswanathan, A., see Sahota, J.S. **34**, 153

Walsh, R., see Grieve, J.P. **34**, 253
Walsh, R.M., G. Philip, N.Y. Salama, Hairy polyp of the oropharynx: an unusual cause of intermittent neonatal airway obstruction **34**, 129
Wiatrak, B.J., J.S. Reilly, A.B. Seid, S.M. Pransky, J.V. Castillo, Open surgical excision of subglottic hemangioma in children **34**, 191

Yamamoto, S., see Nishizaki, K. **34**, 259
Ysunza, A., see Pamplona, M. **34**, 53
Yuen, K., see Nishizaki, K. **34**, 259

Zerres, K., see Haverkamp, F. **34**, 159
Žitňan, D., see Jakubíková, J. **34**, 165

ELSEVIER

International Journal of Pediatric Otorhinolaryngology
34 (1996) 309–313

INTERNATIONAL JOURNAL OF
Pediatric
Oto
Rhino
Laryngology

Subject index

Volume 34 (1996)

Acoustics; Crying; Development; Fundamental frequency; Infants **34**, 237

Acute otitis media; Interferon; Otitis media with effusion; Respiratory infection; Secretory otitis media **34**, 25

Adenoids; Cleft palate; Nasendoscopy; Obstructive sleep apnea; Tonsils; Velopharyngeal insufficiency; Velopharyngeal valve; Videofluoroscopy; Waldeyer ring **34**, 61

Airway obstruction; Multiple Pterygium Syndrome; Escobar Syndrome; Feeding difficulties **34**, 135

Aspecific membranous laryngitis; Infectious mononucleosis; Streptococcus pyogenes superinfection **34**, 171

Asphyxia; Neurodevelopment; Auditory development; Brainstem auditory evoked response; Children **34**, 111

Asthma; Peak expiratory flow rate; Peak flow meter **34**, 225

At risk children; Hearing loss; Toxoplasmosis; Epidemiology **34**, 1

'At risk' child; Sensorineural hearing loss; Consanguinity **34**, 75

Audiometry; Behavioural; Brainstem electric response; Childhood hearing impairment; Children; Detection; Hearing aid; Identification **34**, 45

Auditory brainstem response test; Hearing disturbance; High risk infants; Neonatal intensive care unit; Persistent pulmonary hypertension of the newborn; Extra-corporeal membrane oxygenation **34**, 35

Auditory development; Neurodevelopment; Brainstem auditory evoked response; Asphyxia; Children **34**, 111

Behavioural; Audiometry; Brainstem electric response; Childhood hearing impairment; Children; Detection; Hearing aid; Identification **34**, 45

Bilateral; Congenital; Cholesteatoma **34**, 259

Birth trauma; Laryngeal paralysis; Neonates **34**, 101

Bone dysplasia; Craniometaphyseal dysplasia (recessive type); Congenital nasal obstruction; Chonchotomy; Oto-rhino-laryngological problems **34**, 159

Brainstem auditory evoked response; Neurodevelopment; Auditory development; Asphyxia; Children **34**, 111

Brainstem electric response; Audiometry; Behavioural; Childhood hearing impairment; Children; Detection; Hearing aid; Identification **34**, 45

Chemotherapy; Nasopharynx; Osteosarcoma; Retinoblastoma; Irradiation; Second malignant neoplasm; Second primary tumour **34**, 265

Childhood hearing impairment; Audiometry; Behavioural; Brainstem electric response; Children; Detection; Hearing aid; Identification **34**, 45

Children; Audiometry; Behavioural; Brainstem electric response; Childhood hearing impairment; Detection; Hearing aid; Identification **34**, 45

Children; Functional Endoscopic Sinus Surgery (FESS); Subperiosteal abscess **34**, 181

Children; Neurodevelopment; Auditory development; Brainstem auditory evoked response; Asphyxia **34**, 111

Cholesteatoma; Bilateral; Congenital **34**, 259

Chonchotomy; Bone dysplasia; Craniometaphyseal dysplasia (recessive type); Congenital nasal obstruction; Oto-rhino-laryngological problems **34**, 159

Cleft palate; Adenoids; Nasendoscopy; Obstructive sleep apnea; Tonsils; Velopharyngeal insufficiency; Velopharyngeal valve; Videofluoroscopy; Waldeyer ring **34**, 61

Cleft palate; Velopharyngeal insufficiency; Compensatory articulation; Surgery for velopharyngeal insufficiency **34**, 53

Compensatory articulation; Cleft palate; Velopharyngeal insufficiency; Surgery for velopharyngeal insufficiency **34**, 53

Compliance; Tympanostomy tubes; Complications; Perforation; Tympanosclerosis; Otorrhea **34**, 87

Complications; Tympanostomy tubes; Compliance; Perforation; Tympanosclerosis; Otorrhea **34**, 87

Congenital; Bilateral; Cholesteatoma **34**, 259

Congenital nasal obstruction; Bone dysplasia; Craniometaphyseal dysplasia (recessive type); Chonchotomy; Oto-rhino-laryngological problems **34**, 159

Congenital tracheal stenosis; Costal cartilage graft; Tracheoplasty **34**, 245

Consanguinity; Sensorineural hearing loss; 'At risk' child **34**, 75

Costal cartilage graft; Congenital tracheal stenosis; Tracheoplasty **34**, 245

Costs of surveillance; Epidemiology; Permanent hearing impairment; Pediatric audiology **34**, 9

Craniometaphyseal dysplasia (recessive type); Bone dysplasia; Congenital nasal obstruction; Chonchotomy; Oto-rhino-laryngological problems **34**, 159

Crico-tracheotomy; Subglottic hemangioma; Surgical excision **34**, 191

Crying; Acoustics; Development; Fundamental frequency; Infants **34**, 237

Detection; Audiometry; Behavioural; Brainstem electric response; Childhood hearing impairment; Children; Hearing aid; Identification **34**, 45

Development; Acoustics; Crying; Fundamental frequency; Infants **34**, 237

Ectopic thyroid tissue; Foramen cecum; Male child; Midline cervical mass **34**, 141

Epidemiology; Hearing loss; Toxoplasmosis; At risk children **34**, 1

Epidemiology; Permanent hearing impairment; Pediatric audiology; Costs of surveillance **34**, 9

Escobar Syndrome; Multiple Pterygium Syndrome; Airway obstruction; Feeding difficulties **34**, 135

Eustachian tube; Mucosa-associated lymphoid tissue; Middle ear; Otitis media; Temporal bone histopathology **34**, 229

Extra-corporeal membrane oxygenation; Hearing disturbance; High risk infants; Auditory brainstem response test; Neonatal intensive care unit; Persistent pulmonary hypertension of the newborn **34**, 35

False tract; Rupture of the aorta; Rupture of the carotid artery; Tracheostomy **34**, 175

Feeding difficulties; Multiple Pterygium Syndrome; Escobar Syndrome; Airway obstruction **34**, 135

Foramen cecum; Ectopic thyroid tissue; Male child; Midline cervical mass **34**, 141

Foreign body; Palatal trauma; Parotid sinus **34**, 253

Functional Endoscopic Sinus Surgery (FESS); Subperiosteal abscess; Children **34**, 181

Fundamental frequency; Acoustics; Crying; Development; Infants **34**, 237

Gastroephageal reflux; Infant; PVCD; Stridor **34**, 149

Hairy polyp; Oropharynx; Neonate **34**, 129

Hearing aid; Audiometry; Behavioural; Brainstem electric response; Childhood hearing impairment; Children; Detection; Identification **34**, 45

Hearing disturbance; High risk infants; Auditory brainstem response test; Neonatal intensive care unit; Persistent pulmonary hypertension of the newborn; Extra-corporeal membrane oxygenation **34**, 35

Hearing loss; Toxoplasmosis; Epidemiology; At risk children **34**, 1

Hemophilia B; Obstructive sleep apnea; Supraglottic papilloma **34**, 165

High risk infants; Hearing disturbance; Auditory brainstem response test; Neonatal intensive care unit; Persistent pulmonary hypertension of the newborn; Extra-corporeal membrane oxygenation **34**, 35

Hypoglossal; Neurofibroma; Neoplasm of tongue; Lingual **34**, 153

Identification; Audiometry; Behavioural; Brainstem electric response; Childhood hearing impairment; Children; Detection; Hearing aid **34**, 45

Infant; PVCD; Gastroephageal reflux; Stridor **34**, 149

Infants; Acoustics; Crying; Development; Fundamental frequency **34**, 237

Infectious mononucleosis; Aspecific membranous laryngitis; Streptococcus pyogenes superinfection **34**, 171

Interferon; Acute otitis media; Otitis media with effusion; Respiratory infection; Secretory otitis media **34**, 25

Irradiation; Nasopharynx; Osteosarcoma; Retinoblastoma; Chemotherapy; Second malignant neoplasm; Second primary tumour **34**, 265

Laryngeal paralysis; Neonates; Birth trauma **34**, 101

Lingual; Neurofibroma; Neoplasm of tongue; Hypoglossal **34**, 153

Lymphangioma; Parotid gland **34**, 273

Male child; Ectopic thyroid tissue; Foramen cecum; Midline cervical mass **34**, 141

Middle ear; Mucosa-associated lymphoid tissue; Eustachian tube; Otitis media; Temporal bone histopathology **34**, 229

Midline cervical mass; Ectopic thyroid tissue; Foramen cecum; Male child **34**, 141

Mucosa-associated lymphoid tissue; Middle ear; Eustachian tube; Otitis media; Temporal bone histopathology **34**, 229

Multiple Pterygium Syndrome; Escobar Syndrome; Airway obstruction; Feeding difficulties **34**, 135

Nasendoscopy; Adenoids; Cleft palate; Obstructive sleep apnea; Tonsils; Velopharyngeal insufficiency; Velopharyngeal valve; Videofluoroscopy; Waldeyer ring **34**, 61

Nasopharynx; Osteosarcoma; Retinoblastoma; Irradiation; Chemotherapy; Second malignant neoplasm; Second primary tumour **34**, 265

Neonatal intensive care unit; Hearing disturbance; High risk infants; Auditory brainstem response test; Persistent pulmonary hypertension of the newborn; Extra-corporeal membrane oxygenation **34**, 35

Neonate; Hairy polyp; Oropharynx **34**, 129

Neonates; Laryngeal paralysis; Birth trauma **34**, 101

Neoplasm of tongue; Neurofibroma; Lingual; Hypoglossal **34**, 153

Neurofibroma; Neoplasm of tongue; Lingual; Hypoglossal **34**, 153

Neurodevelopment; Auditory development; Brainstem auditory evoked response; Asphyxia; Children **34**, 111

Obstructive sleep apnea; Adenoids; Cleft palate; Nasendoscopy; Tonsils; Velopharyngeal insufficiency; Velopharyngeal valve; Videofluoroscopy; Waldeyer ring **34**, 61

Obstructive sleep apnea; Hemophilia B; Supraglottic papilloma **34**, 165

Oropharynx; Hairy polyp; Neonate **34**, 129

Osteosarcoma; Nasopharynx; Retinoblastoma; Irradiation; Chemotherapy; Second malignant neoplasm; Second primary tumour **34**, 265

Otitis media; Mucosa-associated lymphoid tissue; Middle ear; Eustachian tube; Temporal bone histopathology **34**, 229

Otitis media with effusion; Acute otitis media; Interferon; Respiratory infection; Secretory otitis media **34**, 25

Oto-rhino-laryngological problems; Bone dysplasia; Craniometaphyseal dysplasia (recessive type); Congenital nasal obstruction; Chonchotomy **34**, 159

Otorrhea; Tympanostomy tubes; Compliance; Complications; Perforation; Tympanosclerosis **34**, 87

Palatal trauma; Parotid sinus; Foreign body **34**, 253

Parotid gland; Lymphangioma **34**, 273

Parotid sinus; Palatal trauma; Foreign body **34**, 253

Peak expiratory flow rate; Asthma; Peak flow meter **34**, 225

Peak flow meter; Peak expiratory flow rate; Asthma **34**, 225

Pediatric audiology; Epidemiology; Permanent hearing impairment; Costs of surveillance **34**, 9

Perforation; Tympanostomy tubes; Compliance; Complications; Tympanosclerosis; Otorrhea **34**, 87

Permanent hearing impairment; Epidemiology; Pediatric audiology; Costs of surveillance **34**, 9

Persistent pulmonary hypertension of the newborn; Hearing disturbance; High risk infants; Auditory brainstem response test; Neonatal intensive care unit; Extra-corporeal membrane oxygenation **34**, 35

PVCD; Infant; Gastroephageal reflux; Stridor **34**, 149

Respiratory infection; Acute otitis media; Interferon; Otitis media with effusion; Secretory otitis media **34**, 25

Retinoblastoma; Nasopharynx; Osteosarcoma; Irradiation; Chemotherapy; Second malignant neoplasm; Second primary tumour **34**, 265

Rupture of the aorta; Rupture of the carotid artery; False tract; Tracheostomy **34**, 175

Rupture of the carotid artery; Rupture of the aorta; False tract; Tracheostomy **34**, 175

Second malignant neoplasm; Nasopharynx; Osteosarcoma; Retinoblastoma; Irradiation; Chemotherapy; Second primary tumour **34**, 265

Second primary tumour; Nasopharynx; Osteosarcoma; Retinoblastoma; Irradiation; Chemotherapy; Second malignant neoplasm **34**, 265

Secretory otitis media; Acute otitis media; Interferon; Otitis media with effusion; Respiratory infection **34**, 25

Sensorineural hearing loss; 'At risk' child; Consanguinity **34**, 75

Streptococcus pyogenes superinfection; Aspecific membranous laryngitis; Infectious mononucleosis **34**, 171

Stridor; Infant; PVCD; Gastroephageal reflux **34**, 149

Subglottic hemangioma; Surgical excision; Crico-tracheotomy **34**, 191

Subperiosteal abscess; Functional Endoscopic Sinus Surgery (FESS); Children **34**, 181

Supraglottic papilloma; Obstructive sleep apnea; Hemophilia B **34**, 165

Surgery for velopharyngeal insufficiency; Cleft palate; Velopharyngeal insufficiency; Compensatory articulation **34**, 53

Surgical excision; Subglottic hemangioma; Crico-tracheotomy **34**, 191

Temporal bone histopathology; Mucosa-associated lymphoid tissue; Middle ear; Eustachian tube; Otitis media **34**, 229

Tonsils; Adenoids; Cleft palate; Nasendoscopy; Obstructive sleep apnea; Velopharyngeal insufficiency; Velopharyngeal valve; Videofluoroscopy; Waldeyer ring **34**, 61

Toxoplasmosis; Hearing loss; Epidemiology; At risk children **34**, 1

Tracheoplasty; Congenital tracheal stenosis; Costal cartilage graft **34**, 245

Tracheostomy; Rupture of the aorta; Rupture of the carotid artery; False tract **34**, 175

Tympanosclerosis; Tympanostomy tubes; Compliance; Complications; Perforation; Otorrhea **34**, 87

Tympanostomy tubes; Compliance; Complications; Perforation; Tympanosclerosis; Otorrhea **34**, 87

Velopharyngeal insufficiency; Adenoids; Cleft palate; Nasendoscopy; Obstructive sleep apnea; Tonsils; Velopharyngeal valve; Videofluoroscopy; Waldeyer ring **34**, 61

Velopharyngeal insufficiency; Cleft palate; Compensatory articulation; Surgery for velopharyngeal insufficiency **34**, 53

Velopharyngeal valve; Adenoids; Cleft palate; Nasendoscopy; Obstructive sleep apnea; Tonsils; Velopharyngeal insufficiency; Videofluoroscopy; Waldeyer ring **34**, 61

Videofluoroscopy; Adenoids; Cleft palate; Nasendoscopy; Obstructive sleep apnea; Tonsils; Velopharyngeal insufficiency; Velopharyngeal valve; Waldeyer ring **34**, 61

Waldeyer ring; Adenoids; Cleft palate; Nasendoscopy; Obstructive sleep apnea; Tonsils; Velopharyngeal insufficiency; Velopharyngeal valve; Videofluoroscopy **34**, 61